REMARKS

This amendment and the remarks in this amendment are in response to the Final Office Action mailed May 14, 2007. Claims 1-51 are currently pending in the application. Claims 1-51 stand rejected. Applicants have amended claims 1, 3, 5, 7, 12, 19, 23, 34, 39 and 47, and respectfully request reconsideration of the application as amended herein.

35 U.S.C. § 102(b) Anticipation Rejections

Anticipation Rejection Based on European Pat. App. EP 1 024 661 A2 to Gagnon et al.

Claims 1-7, 9-16, 18-20, 22-27, 29-36, 39-44, and 46-50 stand rejected under 35 U.S.C. § 102(a) as being anticipated by Gagnon et al. (European Patent No. EP 1 024 661 A2). Applicants respectfully traverse this rejection, as hereinafter set forth.

A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference. *Verdegaal Brothers v. Union Oil Co. of California*, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987). The identical invention must be shown in as complete detail as is contained in the claim. *Richardson v. Suzuki Motor Co.*, 9 USPQ2d 1913, 1920 (Fed. Cir. 1989).

Applicants submit that Gagnon does not and cannot anticipate under 35 U.S.C. § 102 the presently claimed invention of:

Independent claim 1 and claim 2 depending therefrom; Independent claim 3 and claim 4 depending therefrom; Independent claim 5 and claim 6 depending therefrom; Independent claim 7 and claims 9-11 depending therefrom; Independent claim 12 and claims 13-16 and 18 depending therefrom; Independent claim 19 and claims 20 and 22 depending therefrom; Independent claim 23 and claims 24-27 and 29-33 depending therefrom; Independent claim 34 and claims 35 and 36 depending therefrom; Independent claim 39 and claims 40-44 and 46 depending therefrom; Independent claim 47 and claims 48-50 depending therefrom,

because Gagnon does not describe, either expressly or inherently, the identical inventions in as complete detail as are contained in the claims.

Applicants' independent claims as variously amended specifically recite:

1. In a wireless communication system supporting a broadcast service, a method comprising:

transmitting a broadcast session on a broadcast transmission channel; and

- transmitting broadcast overhead information with the broadcast session on the broadcast transmission channel, wherein the broadcast overhead information provides information including physical channel parameters to a receiver for processing the broadcast session. (Emphasis added.)
- 3. A method of transmitting a communication signal on a carrier wave, the signal comprising:

transmitting a broadcast session portion; and

transmitting a session description protocol message (SDP message) interleaved with the broadcast session portion, wherein the SDP provides information including physical channel parameters to a receiver for processing the broadcast session. (Emphasis added.)

5. In a wireless communication system supporting a broadcast service, a method comprising:

receiving a session description protocol (SDP) message corresponding to the broadcast session on the broadcast channel, wherein the SDP message provides information including physical channel parameters to a receiver for processing the broadcast session;

accessing a broadcast session on a broadcast channel; and processing the broadcast session using the SDP message. (Emphasis added.)

- 7. A wireless apparatus, comprising:
 - means for receiving a broadcast service parameter message corresponding to a broadcast session:
 - means for receiving an SDP corresponding to the broadcast session in a broadcast stream, wherein the SDP message provides information including physical channel parameters to a receiver for processing the broadcast session; and

means for processing the broadcast session using the SDP. (Emphasis added.)

- 12. A method for indicating broadcast session protocol, comprising:
 - multiplexing an information identifying a broadcast session protocol with a content of the broadcast session to provide a broadcast stream; and transmitting the broadcast stream on a broadcast transmission channel, wherein the information identifying the broadcast session protocol provides information including physical channel parameters to a receiver for processing the broadcast session. (Emphasis added.)
- 19. A method indicating broadcast session protocol, comprising: receiving a broadcast stream;
 - determining an information including physical channel parameters in the broadcast stream identifying a broadcast session protocol in accordance with the received broadcast stream; and
 - processing the broadcast stream in accordance with the determined information if a receiving station contains the broadcast session protocol. (Emphasis added.)

- 23. A method for indicating broadcast session protocol, comprising:

 multiplexing an information identifying a broadcast session protocol with a

 content of the broadcast session to provide a broadcast stream; and
 providing the broadcast stream for transmission, wherein the information
 identifying the broadcast session protocol provides information including
 physical channel parameters to a receiver for processing the broadcast
 session. (Emphasis added.)
- 34. A method for indicating a broadcast session protocol, comprising: receiving a broadcast stream; determining an information element including physical channel parameters in the broadcast stream; and processing the broadcast stream in accordance with the determined information element. (Emphasis added.)
- 39. A method for indicating broadcast session protocol, comprising:

 multiplexing an information including physical channel parameters for a

 receiver for processing a broadcast session with a content of a broadcast

 session to produce a broadcast stream; and

 transmitting the broadcast stream on a broadcast transmission channel. (Emphasis added.)
- 47. A method indicating broadcast protocol options, comprising:
 receiving a broadcast stream;
 determining an information including physical channel parameters to a receiver
 in the broadcast stream for processing a broadcast session; and
 processing the broadcast stream in accordance with the determined information.
 (Emphasis added.)

For example with respect to Applicants' amended independent claims 1, 3, 5, 7, 12, 19, 23, 34, 39 and 47, Applicants' claims recite, in part, "information [] including physical channel parameters". While the Final Office Action alleges Gagnon discloses Applicants' invention as previously claimed, Gagnon does in fact <u>not</u> disclose, in as complete detail as claimed by Applicants, Applicants' invention as presently claimed including "information [] including physical channel parameters".

Specifically, the Final Office Action in the Response to Arguments alleges:

[Gagnon's] SDP+ record information contains a combination of SDP fields and augmentations including a protocol version field, the type of broadcast (e.g., BFDP, Stream, Webcast, or Intercast), sorting information and filtering information, which are all types of *information used to process the broadcast session by the receiver* station 106. Thus Gagnon et al. does disclose SDP+ record information, which is broadcast overhead information, being used by the receiver 106 to process the broadcast session. (Final Office Action, pp. 19-20; emphasis added.)

Applicants respectfully rely upon the precise disclosure of Gagnon which actually discloses:

- Although a variety of data processing techniques could be used in conjunction with the PPG of the present invention, BFDP, BARP, and SDP + are exemplary of preferred data processing methods. Respectively, these methods provide a way of reliably transferring file data in a one-way communication channel, resolving IP addresses into physical addresses, and announcing to the receiver station 106 how to display available data streams for selection, and when and how to tune to data streams selected by the user. (Gagnon, col. 23, lines 25-35; emphasis added.)
- The system user (client) uses SDP + records to schedule program reception. After the *client makes selections* based on the SDP + record information, *the receiver station 106 properly tunes itself to receive the selected information.* (Gagnon, col. 30, lines 43-47; emphasis added.)

As respectfully noted, Applicants' invention as presently claimed recites, in part, "information [] including physical channel parameters", which is not disclosed in Gagnon. Gagnon merely discloses "the receiver station 106 properly tunes itself to receive the selected information". Gagnon is a satellite-based television system where the physical mapping of the channels is constant in the tuner. Accordingly, Gagnon would have no need for Applicants' claimed element of "information [] including physical channel parameters". Therefore, according to Gagnon, the SDP record is a programming guide that is consumed by the user for making available programming selections and "the receiver station 106 properly tunes itself to receive the selected information". Specifically, Gagnon discloses:

- An SDP+ record is an announcement mechanism that includes a number of fields, which are assembled into a single record or file to provide information on available services such as webcasts, down-loads, and streaming data or other services. (Gagnon, [0084], lines 1-5).
- Each download service (e.g., each webcast, each software download, etc.) has its own SDP + record, which is broadcast to all subscribers to inform them of the information that is available for download. (Gagnon, [0085], lines 7-10).
- The system user (client) uses SDP + records to schedule program reception. After the client makes selections based on the SDP + record information, the receiver station 106 properly tunes itself to receive the selected information. (Gagnon, [0087], lines 11-15).

Exactly how the "receiver station 106 properly tunes itself to receive the selected information" is not further described in Gagnon, however, Gagnon is abundantly clear that the "<u>client makes</u> <u>selections</u> <u>based on the SDP + record information</u>" and the "<u>user (client) uses</u> <u>SDP + records</u>

to schedule program reception". Further recitations from Gagnon substantiate Applicants' positions in opposition to the characterization of Gagnon. Specifically, Gagnon discloses:

A preferred broadcasting system is the satellite-based system utilized by the DIRECTV[®] broadcast service. Such embodiments . . . employ a satellite receiving antenna to acquire real-time video broadcasts and **periodic data broadcasts** used to construct a program guide display. (Col. 11, lines 6-12; emphasis added).

In operation, the programming sources 108 receive video and audio programming from a number of sources, The received programming signals, along with data signals from the control data source 110 [note- Gagnon provides no further enabling disclosure on the function or purpose of these signals], the data service source 112 [note- again, Gagnon provides no further enabling disclosure on the function or purpose of these signals], and the program guide data sources 114, are sent to the video/audio/data encoding system 116 where they are digitally encoded into information data streams that are multiplexed into a packetized data stream or bit stream using a number of conventional algorithms. Each data packet within the packetized data stream includes a header that identifies the contents of the data packet and a service channel identifier (SCID) that identifies the data packet. (Col 11, line 46 through col. 12, line 2; emphasis added).

The PPG [pictographic program guide] . . . is assembled using two basic types of external data: (1) real-time broadcast data (e.g. streaming data), and (2) file data (i.e., data that is periodically downloaded and stored). (Col. 12, lines 42-46).

Applicants respectfully submit that Gagnon does not disclose either "transmitting broadcast overhead information/message ... on the broadcast transmission channel" or "information including physical channel parameters to a receiver [] for processing [a] broadcast channel/session" as claimed in Applicants' independent claims 1, 3, 5, 7, 12, 23, 39, and 47 or "determining an information [] including physical channel parameters" and "processing the broadcast stream in accordance with the determined information" as claimed in Applicants' independent claims 19 and 34.

Therefore, since Gagnon does not disclose each and every element "in as complete detail as is contained in the claim" of Applicants' presently invention, Gagnon **cannot** anticipate under 35 U.S.C. §102 Applicants' invention as presently claimed in independent claims 1, 3, 5, 7, 12, 19, 23, 34, 39, 47 and claims 2, 4, 6, 9-11, 13-16, 18, 20, 22, 24-27, 29-33, 35, 36, 40-44, 46, 48-50 depending variously therefrom. Accordingly, Applicants respectfully request the rejections be withdrawn.

35 U.S.C. § 103(a) Obviousness Rejections

Obviousness Rejection Based on Gagnon in View of U.S. Patent No. 6,032,197 to Birdwell et al.

Claim 8 stands rejected under 35 U.S.C. § 103(a) as being unpatentable Gagnon et al. (European Patent No. EP1024661A2) in view of Birdwell et al. (U.S. Patent No. 6,032,197). Applicants respectfully traverse this rejection, as hereinafter set forth.

The nonobviousness of independent claim 7 precludes a rejection of claim 8 which depends therefrom because a dependent claim is obvious only if the independent claim from which it depends is obvious. *See* In re Fine, 5 U.S.P.Q.2d 1596, 1600 (Fed. Cir. 1988), *see also* MPEP § 2143.03. Therefore, the Applicants request that the Examiner withdraw the rejection to independent claim 7 and claim 8 which depends therefrom.

Obviousness Rejection Based on Gagnon in View of European Pat. No. EP1024661A2 to Rustad et al.

Claims 17, 28, and 45 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Gagnon et al. (European Patent No. EP1024661A2) in view of Rustad et al. (U.S. Patent No. 6,775,303). Applicants respectfully traverse this rejection, as hereinafter set forth.

The nonobviousness of independent claims 12, 23, 39 preclude a rejection of claims 17, 28, 45 which depend therefrom because a dependent claim is obvious only if the independent claim from which it depends is obvious. *See* In re Fine, 5 U.S.P.Q.2d 1596, 1600 (Fed. Cir. 1988), *see also* MPEP § 2143.03. Therefore, the Applicants request that the Examiner withdraw the rejection to independent claims 12, 23, 39 and claim 17, 28, 45 which depend therefrom.

Obviousness Rejection Based on Gagnon in View of U.S. Patent No. 6,580,756 to Matsui et al.

Claims 21, 37-38, and 51 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Gagnon et al. (European Patent No. EP1024661A2) in view of Matsui et al. (U.S. Patent No. 6,580,756). Applicants respectfully traverse this rejection, as hereinafter set forth.

The nonobviousness of independent claims 19, 34, 47 preclude a rejection of claims 21, 37-38, and 51 which depend therefrom because a dependent claim is obvious only if the independent claim from which it depends is obvious. *See* In re Fine, 5 U.S.P.Q.2d 1596, 1600 (Fed. Cir. 1988), *see also* MPEP § 2143.03. Therefore, the Applicants request that the Examiner withdraw the rejection to independent claims 19, 34, 47 and claim 21, 37-38, and 51 which depend therefrom.

CONCLUSION

Claims 1-51 are believed to be in condition for allowance, and an early notice thereof is respectfully solicited. Should the Examiner determine that additional issues remain which might be resolved by a telephone conference, he is respectfully invited to contact Applicants' undersigned attorney.

Respectfully submitted,

Dated: September 14, 2007 By: /Roberta A. Young/

Roberta A. Young, Reg. No. 53,818 (858) 651-5803

QUALCOMM Incorporated 5775 Morehouse Drive San Diego, California 92121 Telephone: (858) 658-5787

Facsimile: (858) 658-2502